


Rectangle 7"W x 12"H



RE7W12H is a personal approach to building the perfect fixture for your project. Sconce can be ordered as a stand alone fixture or you can add one of our decorative elements.

REVIT & IES FILES AVAILABLE

MODULE	Available with rectangular module, 15W, for optimal light output. Circular 10W module available, however not optimal for lamp shade illumination. Both modules field replaceable.
RATED LIFETIME	L70 100,000+ hours
SHADE	Vandal resistant. IK10 UL Certified. Protected against 20 joules of impact.
CERTIFICATIONS	UL Damp Listed, IK10 UL Certified, Title24 Optional JA8
BATTERY BACK-UP	Optional Emergency Battery Back-up
WARRANTY	10 Years
WATTAGE	15W, 10W
CRI	90+
DIMMING	Triac/ELV
WEIGHT	3 LBS
PROJECTION	4", ADA Compliant




FIXTURE	MODULE	WATTS	DELIVERED LUMENS: RESIN SHADE	DELIVERED LUMENS: WHITE OPAL ACRYLIC	INPUT
RE7W12H	AU-R15W	15W	1115	1394	120V, 277V
	AU-C10W	10W	696	870	120V, 277V

Note: For Gold Shimmer, Linear Cross, and Cayenne resin, multiply delivered lumens by .8


Optional Decorative Elements

Assembly required, refer to installation guide

Wood or Metal Powder Coat Finish:



DOOR PANEL, CUSTOM RAL, **CP**




WOOD U-CHANNEL SMALL, **DE3A**
SUGAR PALM (HOR), **SPH**



24" DOOR PANEL, **DP24A**
SUGAR PALM (VERT), **SPV**

Metal with Powder Coat Finish:



MODERN ARMATURE, **DE10A**
BLACK, **BLK**


Architectural Resin



AUTUMN, **A**



RAIN (VERT), **RV**




BURANO (VERT), **BV**



ISLAND BREEZE, **IB**



RAIN (HOR), **RH**



BURANO (HOR), **BH**



LINEAR CROSS (VERT), **LCV**



GOLD SHIMMER (VERT), **GSV**



CAYENNE (VERT), **CVV**



LINEAR CROSS (HOR), **LCH**



GOLD SHIMMER (HOR), **GSH**



CAYENNE (HOR), **CYH**



FAUX ALABASTER, **FA**



WHITE OPAL ACRYLIC, **WO**

Metal Powder Coat Finishes



ENVIRO SATIN BRASS, **ESB**



POLISHED NICKEL, **PN**




ENVIRO SATIN NICKEL, **ESN**



ENVIRO OIL-RUBBED
BRONZE, **EOB**



GRAPHITE, **GR**



DARK BRONZE, **DB**




WHITE, **WHT**



BLACK, **BLK**

Custom RAL colors
also available (**CP**)

Wood Finishes (U-Channel & Door Panel Decorative Elements Only)



SUGAR PALM (HOR), **SPH**



SUGAR PALM (VERT), **SPV**



WALNUT, **W**



BAMBOO, **BA**

Fixture:

Project:

EXAMPLE: AU - R15W - 30 - 9 - RE7W12H - WO - DE24A - BLK - DPP

ORDER CODE:

Family	
AU	AUBERGE BY ALVA

AU

LED Module	
C10W	10W
R15W	15W

CCT	
27	2700K
30	3000K
35	3500K
40	4000K

CRI	
9	90+ CRI

9

Input Voltage	
120	120V
277	277V

Shade Shape		
RE7W12H	Rectangle	7"W x 12"H x 4" projection

RE7W12H

Shade Pattern			
<i>Resin Shade Patterns</i>			
IB	Island Breeze	BV	Burano, Vertical
A	Autumn	BH	Burano, Horizontal
FA	Faux Alabaster	CYV	Cayenne, Vertical
LCV	Linear Cross, Vertical	CYH	Cayenne, Horizontal
LCH	Linear Cross, Horizontal	RV	Rain, Vertical
GSV	Gold Shimmer, Vertical	RH	Rain, Horizontal
GSH	Gold Shimmer, Horizontal	<i>Acrylic Shade Options</i>	
		WO	White Opal Acrylic

OPTIONAL Decorative Element (Assembly Required, Refer To Installation Guide)		
DE10A	Modern Armature	5"W x 5"H Face Plate, 12"H
DE3A	Wood U-Channel, Small	6.5"W x 3"H x 1.75" deep
DP3A	4" Door Panel	6.5"W x 3.5"H
DP9A	9" Door Panel	6.5"W x 9"H
DP12A	12" Door Panel	6.5"W x 12"H
DP18A	18" Door Panel	6.5"W x 18"H
DP24A	24" Door Panel	6.5"W x 24"H
DP36A	36" Door Panel	6.5"W x 36"H

Decorative Element Finish			
<i>Powder Coat Finishes</i>		<i>Wood Finishes (Wood U-Channel & Door Panel only)</i>	
EOB	Enviro Oil-Rubbed Bronze	W	Walnut
ESN	Enviro Satin Nickel	SPV	Sugar Palm Vertical Grain
ESB	Enviro Satin Brass	SPH	Sugar Palm Horizontal Grain
GR	Graphite	BA	Bamboo
DB	Dark Bronze		
PN	Polished Nickel		
WHT	Matte White		
BLK	Matte Black		
CP	Custom RAL Powder Coat (MOQ may apply)		

OPTIONAL Door Panel Plaque	
DPP	Door Panel Plaques are for Door Panel Decorative Elements only. Door number plaque can be personalized by Finish, Logo/Branding, Font Style, Font Size, Size of Plaque.

OPTIONAL Sealed Top Lens	
SLT1	Single sealed lens cover (1) for Top Only of sconce.
L1	Single lens (not sealed) for bottom only of sconce to prevent seeing up inside the sconce for sconces mounted higher than usual.

OPTIONAL Emergency Back up	
EM	Emergency Battery Back-up

OPTIONAL JA8	
JA8	JA8 Compliant