

alva



Multi-Family Residential Lighting Solutions

alva

alva



Linear Cross Resin
15" Panel with Optional Door Number Plaque in Black

Amelia



White Opal Acrylic Sconce
10" Panel in Black with Optional Door Number Plaque



Faux Alabaster Resin
20" Panel in Enviro Oil Rubbed Bronze



Linear Cross Resin
15" Panel with Optional Door Number Plaque in Black

Amelia

alva Amelia

alva

PANEL LENGTH OPTIONS:



PN20, Enviro Oil-Rubbed Bronze



PN15, Graphite




PN10, Matte Black




PN5, Matte Black




Left: 10" Panel in Black with Island Breeze Resin
Right: 10" Panel with Optional Door Number Plaque



Resin Shade Options Vandal resistant, architectural resin by ALVA®



Metal Powder Coat Finish Options:



ORDER CODE:

FAMILY	LED MODULE	CCT	CRI	MODEL	SHADE PATTERN	PANEL LENGTH	POWDER COAT FINISH	DOOR PANEL PLAQUE (OPTIONAL MUST SPECIFY)	JA8 (OPTIONAL)
AU	L10W	2700 2700K 3000 3000K 3500 3500K 4000 3500K	9	AMELIA	A Autumn B Burano FA Faux Alabaster GS Gold Shimmer IB Island Breeze LC Linear Cross R Rain W White WO White Opal Acrylic	PN5 Extends 5" below fixture PN10 Extends 10" below fixture PN15 Extends 15" below fixture PN20 Extends 20" below fixture	ESN Enviro Satin Nickel EOB Enviro Oil-Rubbed Bronze ESB Enviro Satin Brass GR Graphite DB Dark Bronze WHT White BLK Black CP Custom RAL Finish	DPP Door Panel Plaque	JA8

alva



INDIRA

Description

This ADA-compliant wall sconce is ideal for corporate, hospitality, multi-family residential, senior living, and healthcare applications.

Features

The Indirect Shade Series is BAA compliant, made in the USA, manufactured with aluminum, and finished in an architectural-grade powder coat. Shade dimensions: 4.5"W x 10"H x 3" projection. Light can be projected up, down or in both directions. Optional panel comes in four standard lengths: 5", 10", 15", 20".



Specifications:

MODULE	High efficiency, field replaceable LED Module
INPUT	120-277 Input Voltage
DELIVERED LUMENS	10W
CCT	Select from 2700K, 3000K, 3500K, or 4000K CCT
CERTIFICATIONS	UL Damp Listed, Title24 JA8
CRI (MINIMUM)	90
DIMMING	Triac/ELV
SIZE	Shade: 4.5"W x 10"H x 3" projection Panel: Choose from 5", 10", 15", or 20"L
SHADE	Manufactured with aluminum and finished in an architectural-grade powder coat. Anti-microbial powder coat optional.
LPW	100+ (source)
WARRANTY	10 Years
RATED LIFETIME	L70 100,000+ hours. All electronics rated for over 10 years at 24/7/365 usage

Indira

Curved Sconce, 10" Panel in Custom RAL

ALVALIGHT.COM

P: 510 993 0898

Indira Curve & Rectangle

alva

Indira Curve & Rectangle

alva



Left: Curved Sconce, Up & Down Light, Graphite Finish
Right: 10" Panel, Up & Down Light with Optional Door Number Plaque

SHADE LIGHT OPTIONS:



Down Light Only, MT1



Up and Down Light, MT2

METAL POWDER COAT FINISH OPTIONS:



Enviro Satin Nickel, ESN



Graphite, GR



Enviro Oil-Rubbed Bronze, EOB



Dark Bronze, DB



Matte Black, BLK



Matte White, WHT

PANEL LENGTH OPTIONS:



PN20, Enviro Oil-Rubbed Bronze



PN15, Enviro Satin Nickel



PN10, Custom RAL "Shiny Copper"




PN5, Matte White

RECTANGLE SCONCE, RE4W10H:





Down Light Only, Black Finish



CURVED SCONCE, CU4W10H:




Up & Down Light, Graphite Finish



ORDER CODE:

FAMILY	LED MODULE	CCT	CRI	MODEL	SHADE LIGHT	PANEL LENGTH	POWDER COAT FINISH	DOOR PANEL PLAQUE (OPTIONAL MUST SPECIFY)	JA8 (OPTIONAL)
AU	C10W		9	RE4W10H					
	C10W	2700 2700K 3000 3000K 3500 3500K 4000 3500K			MT1 Down Light Only MT2 Up and Down Light	PN5 Extends 5" below fixture PN10 Extends 10" below fixture PN15 Extends 15" below fixture PN20 Extends 20" below fixture	ESN Enviro Satin Nickel EOB Enviro Oil-Rubbed Bronze ESB Enviro Satin Brass GR Graphite DB Dark Bronze WHT White BLK Black CP Custom RAL Finish	DPP Door Panel Plaque	JA8



PERSONALIZED COLLECTION

Description

A modular approach to building out highly personalized light fixtures for the hospitality, multi-family residential, and senior living design community.

Features

Choose from over 12 different shade shapes including curved, rectangle and square options. Shades are made from IK10 UL Certified, vandal resistant, architectural resin by ALVA® that can be easily cleaned using standard cleaning agents, including diluted bleach, without damaging the shade. Environmentally friendly, translucent resin with embedded fabric & natural materials is 100% recyclable and 40% post-consumer recycled content. Excellent impact strength and chemical resistance.



MODULE	High Efficiency, field replaceable LED Module
INPUT	120 or 277 Input Voltage
AVAILABLE WATTAGES	10W or 15W (smaller sconces may only be available at 10W)
CCT	Select from 2700K, 3000K, 3500K, or 4000K CCT
CERTIFICATIONS	UL Damp Listed, Title24 JA8, IK10 UL Certified
CRI (MINIMUM)	90
DIMMING	Triac/ELV
SIZE	Shade: Multiple sizes (see order guide) Panel: Select from 3.5", 12", 18", 24", 36" H; 6.75" or 8.75" W; 1.5" D
SHADE	IK10 UL Certified, Vandal Resistant, Architectural Resin by ALVA® Note: High Performance White Opal Acrylic also available
WARRANTY	10 Years
RATED LIFETIME	L70 100,000+ hours. All electronics rated for over 10 years at 24/7/365 usage
DELIVERED LUMENS	

MODULE	INPUT POWER	CCT	RESIN SHADE	WHITE OPAL ACRYLIC SHADE	INPUT
AU-R15W	15W	2700	935	1169	120-277vAC
	15W	3000	1025	1281	120-277vAC
	15W	3500	1025	1281	120-277vAC
	15W	4000	1115	1394	120-277vAC
AU-C10W	10W	2700	586	733	120-277vAC
	10W	3000	636	795	120-277vAC
	10W	3500	636	795	120-277vAC
	10W	4000	696	870	120-277vAC

Personalized Collection

CU7W14H Sconce, 18.75" Door Panel in Sugar Palm Door Number with Braille


ALVALIGHT.COM P: 510 993 0898

IK10 UL CERTIFIED
INDESTRUCTIBLE RESIN
BY ALVA®, AVAILABLE IN 12
DIFFERENT PATTERNS



BACKPLATE AVAILABLE IN
14 DIFFERENT WOOD OR
POWDER COAT FINISHES

ADA COMPLIANT
DOOR PANELS
WITH FULLY
CUSTOMIZABLE
NUMBER PLATE



RE7W9H Sconce, 6.75" x 12" Door Panel (DP12A) with Braille




CU9W12H Sconce, IB Resin
8.75" x 12" Panel (DP12B) in Custom RAL




SQ7W7H Sconce, WO Shade
6.75" x 3.5" Panel (DP3A) in ESN



RE7W9H Sconce, LC Resin
6.75" x 18" Panel (DP18A) in ESN



CU9W12H Sconce, IB Resin
8.75" x 24" Panel (DP24B) in Custom RAL




CU7W14H Sconce, White Opal Acrylic (WO) Shade
6.75" x 36" Panel (DP36A) in Custom RAL

Personalized Collection

Shade Shape Options

Choose from over 12 different shade shapes




Resin Pattern Options

IK10 UL Certified, vandal resistant, architectural resin by ALVA®




Decorative Element Finishes

Metal Powder Coat Finishes



Custom RAL colors also available (CP)

Wood Finishes (U-Channel & Door Panel Decorative Elements Only)



Personalized Collection

Order Guide

Brand		AU		AUBERGE BY ALVA	
LED Module		C10W	10W	Compatible with all shade sizes	
		R15W	15W	For 12"H and 14"H shades, and 14"W shades.	
CCT		27	2700K		
		30	3000K		
		35	3500K		
		40	4000K		
CRI		9	90 CRI		
Input Voltage		120	120V		
		277	277V		
Shade Shape					
CU7W9H	Curve	7"W x 9"H x 4" projection	RE7W9H	Rectangle	7"W x 9"H x 4" projection
CU7W12H	Curve	7"W x 12"H x 4" projection	RE7W12H	Rectangle	7"W x 12"H x 4" projection
CU7W14H	Curve	7"W x 14"H x 4" projection	RE7W14H	Rectangle	7"W x 14"H x 4" projection
CU9W12H	Curve	9"W x 11.75"H x 4" projection	RE9W12H	Rectangle	9"W x 11.75"H x 4" projection
CU14W7H	Curve	14"W x 7"H x 4" projection	RE14W7H	Rectangle	14"W x 7"H x 4" projection
SQ7W7H	Square	7"W x 7"H x 4" projection	SQ9W9H	Square	9"W x 9"H x 4" projection
SQ12W12H	Square	12"W x 12"H x 4" projection			
Shade Pattern					
<i>Resin Shade Patterns</i>					
IB	Island Breeze	BV	Burano, Vertical	<i>Acrylic Shade Options</i>	
A	Autumn	BH	Burano, Horizontal	WO White Opal Acrylic	
LCV	Linear Cross, Vertical	CYV	Cayenne, Vertical (NEW)		
LCH	Linear Cross, Horizontal	CYH	Cayenne, Horizontal (NEW)		
GSV	Gold Shimmer, Vertical	R	Rain		
GSH	Gold Shimmer, Horizontal	FA	Faux Alabaster		
OPTIONAL Decorative Element (Assembly Required, Refer To Installation Guide)					
DE10A	Modern Armature	5"W x 5"H Face Plate, 12"H			
DE3A	Wood U-Channel, Small	6.5"W x 3"H x 1.75" deep			
DE3B	Wood U-Channel, Large	8.5"W x 3"H x 1.75" deep (Compatible with 9" or 14" wide shades only)			
DP3A	4" Door Panel	6.5"W x 3.5"H			
DP3B	4" Door Panel	8.5"W x 3.5"H (Compatible with 9" or 14" wide shades only)			
DP9A	9" Door Panel	6.5"W x 9"H			
DP9B	9" Door Panel	8.5"W x 9"H (Compatible with 9" or 14" wide shades only)			
DP12A	12" Door Panel	6.5"W x 12"H			
DP12B	12" Door Panel	8.5"W x 12"H (Compatible with 9" or 14" wide shades only)			
DP18A	18" Door Panel	6.5"W x 18"H			
DP18B	18" Door Panel	8.5"W x 18"H (Compatible with 9" or 14" wide shades only)			
DP24A	24" Door Panel	6.5"W x 24"H			
DP24B	24" Door Panel	8.5"W x 24"H (Compatible with 9" or 14" wide shades only)			
DP36A	36" Door Panel	6.5"W x 36"H			
DP36B	36" Door Panel	8.5"W x 36"H (Compatible with 9" or 14" wide shades only)			
Decorative Element Finish					
<i>Powder Coat Finishes</i>			<i>Wood Finishes (Wood U-Channel & Door Panel only)</i>		
EOB	Enviro Oil-Rubbed Bronze	W	Walnut		
ESN	Enviro Satin Nickel	BA	Bamboo		
ESB	Enviro Satin Brass	SPV	Sugar Palm Vertical Grain		
GR	Graphite	SPH	Sugar Palm Horizontal Grain		
DB	Dark Bronze				
PN	Polished Nickel				
WHT	Matte White				
BLK	Matte Black				
CP	Custom RAL Powder Coat (MOQ may apply)				
OPTIONAL Door Panel Plaque					
DPP	Door Panel Plaques are for Door Panel Decorative Elements only. Door number plaque can be personalized by Finish, Logo/Branding, Font Style, Font Size, Size of Plaque.				
OPTIONAL Sealed Lens					
SL	Sealed Lens cover the top and bottom of the sconce to prevent materials from entering into sconces. Comes as a set of 2.				
SLT1	Single Sealed Lens cover (1) for TOP ONLY of sconce. For use with sconces with Decorative Elements attached on bottom.				
OPTIONAL Emergency Back up					
EM	Emergency Battery Back-up is available for wall sconces CU7W12H, CU7W14H, and CU9W12H				
OPTIONAL JA8					
JA8	JA8 Compliant				

ORDER CODE:

AU

9