



Helen

A modern take on the classic design of the Candelabra. Designed to be flush to the wall to avoid damage common in high-traffic corridors. Featuring a robust and vandal resistant resin shade material that can be easily cleaned and is virtually indestructible. High-performance LED module providing evenly illuminated, optically correct, energy-efficient lighting. IK10 UL Certified, ADA compliant, and Title24 JA8 Optional.



CO7W7H Sconce, Candelabra with Satin Nickel Finish









MODULE	Field Replaceable C10W LED module
RATED LIFETIME	L70 100,000 hrs
SHADE	Vandal resistant. IK10 UL Certified. Protected against 20 joules of impact.
CERTIFICATIONS	UL Damp Listed, IK10 UL Certified, Title24 Optional JA8
WARRANTY	10 Years
WATTAGE	Single Candelabra: 10W Double Candelabra: 20W
CRI	90+
DIMMING	Triac/ELV
WEIGHT	Single Candelabra: 5 lbs Double Candelabra: 10 lbs
PROJECTION	4"

MODULE	WATTS	CCT	DELIVERED LUMENS: RESIN SHADE	DELIVERED LUMENS: WHITE OPAL ACRYLIC	INPUT
AU-C10W	10W	2700	586	733	120V, 277V
	10W	3000	636	795	120V, 277V
	10W	3500	636	795	120V, 277V
	10W	4000	696	870	120V, 277V

Note: For Gold Shimmer, Linear Cross, and Cayenne resin, multiply delivered lumens by .8

Helen Candelabra

alva




4 7/8"
WALL CANOPY

Architectural Resin



AUTUMN, **A**



BURANO (VERT), **BV**



RAIN (VERT), **RV**



GOLD SHIMMER (VERT), **GSV**




CAYENNE (VERT), **CVV**



LINEAR CROSS (VERT), **LCV**



ISLAND BREEZE, **IB**



BURANO (HOR), **BH**



RAIN (HOR), **RH**




GOLD SHIMMER (HOR), **GSH**




CAYENNE (HOR), **CYH**



LINEAR CROSS (HOR), **LCH**



FAUX ALABASTER, **FA**



WHITE OPAL ACRYLIC, **WO**


Metal Powder Coat Finishes



ENVIRO SATIN NICKEL, **ESN**



ENVIRO SATIN BRASS, **ESB**



DARK BRONZE (DB)



Enviro Satin Nickel (ESN)



Enviro Satin Brass (ESB)



Dark Bronze (DB)



EXAMPLE: AU - C10W - 30 - 9 - 120 - CO7W7H - WO - DE1A - ESN

Family			
AU	AUBERGE BY ALVA		
LED Module			
C10W	10W		
CCT			
27	2700K		
30	3000K		
35	3500K		
40	4000K		
CRI			
9	90+ CRI		
Input Voltage			
120	120V		
277	277V		
Shade Shape			
CO7W7H	Cone	7"W x 7"H x 4" projection	
Shade Pattern			
<i>Resin Shade Patterns</i>			
IB	Island Breeze	BV	Burano, Vertical
A	Autumn	BH	Burano, Horizontal
FA	Faux Alabaster	CYV	Cayenne, Vertical
LCV	Linear Cross, Vertical	CYH	Cayenne, Horizontal
LCH	Linear Cross, Horizontal	RV	Rain, Vertical
GSV	Gold Shimmer, Vertical	RH	Rain, Horizontal
GSH	Gold Shimmer, Horizontal		
<i>Acrylic Shade Options</i>			
WO	White Opal Acrylic		
Candelabra Style (Assembly Required, Refer To Installation Guide)			
DE1A	Single Candelabra	7"W x 13.5"H x 4" deep	
DE1B	Double Candelabra	17.5"W x 13.5"H x 4" deep	
Decorative Element Finish			
<i>Powder Coat Finishes</i>			
DB	Dark Bronze		
ESN	Enviro Satin Nickel		
ESB	Enviro Satin Brass		
OPTIONAL Sealed Top Lens			
SLT1	Single sealed lens cover (1) for Top Only of sconce.		
OPTIONAL JA8			
JA8	JA8 Compliant		

ORDER CODE:

AU
C10W
9
CO7W7H